



SAFETY DATA SHEET NESTE ATF-X

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	NESTE ATF-X
Product number	ID 19117
Internal identification	2162
Synonyms; trade names	Previous product number 2930, ID 10719

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Lubricant.
-----------------	------------

1.3. Details of the supplier of the safety data sheet

Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 lubetec@neste.com
----------	---

1.4. Emergency telephone number

National emergency telephone number +358-9-471 977, +358-9-4711, Poison Information Centre

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements	H412 Harmful to aquatic life with long lasting effects. EUH208 Contains 1-(tert-dodecylthio)propan-2-ol, 1,2-Propanediol, 3-amino, N,N,-dicoco alkyl derivs.. May produce an allergic reaction.
Precautionary statements	P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

NESTE ATF-X

Distillates (petroleum), hydrotreated light paraffinic 90 - ≤ 100 %		
CAS number: 64742-55-8	EC number: 265-158-7	REACH registration number: 01-2119487077-29-XXXX
Classification Asp. Tox. 1 - H304		
Distillates (petroleum), hydrotreated heavy paraffinic 1 - < 2,5 %		
CAS number: 64742-54-7	EC number: 265-157-1	REACH registration number: 01-2119484627-25-XXXX
Classification Asp. Tox. 1 - H304		
1-(tert-dodecylthio)propan-2-ol 0,5 - < 1 %		
CAS number: 67124-09-8	EC number: 266-582-5	REACH registration number: 01-2119953277-30-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich 0,25 - < 0,5 %		
CAS number: 398141-87-2	EC number: 800-172-4	REACH registration number: 01-2119969520-35-XXXX
Classification Aquatic Chronic 2 - H411		
1,2-Propanediol, 3-amino, N,N,-dicoco alkyl derivs. 0,25 - < 0,5 %		
CAS number: —	EC number: 482-000-4	REACH registration number: 01-0000020142-86-XXXX
Classification Skin Sens. 1B - H317 Aquatic Chronic 3 - H412		

NESTE ATF-X

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	0,025 - < 0,1 %
---	---------------------------

CAS number: 95-38-5

EC number: 202-414-9

REACH registration number: 01-2119777867-13-XXXX

M factor (Acute) = 10

M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302

Skin Corr. 1C - H314

Eye Dam. 1 - H318

STOT RE 2 - H373

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0 - < 0,1 %
--	-----------------------

CAS number: 1218787-32-6

EC number: 620-540-6

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302

Skin Corr. 1C - H314

Eye Dam. 1 - H318

Aquatic Acute 1 - H400

Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	The product contains a small amount of sensitising substance. May produce an allergic reaction.
----------------------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
-------------------------------------	--

NESTE ATF-X

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion products Carbon dioxide (CO₂). Carbon monoxide (CO). Hydrocarbons.

5.3. Advice for firefighters

Protective actions during firefighting Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective clothing as protection against splashing or contamination.

For emergency responders Keep unnecessary and unprotected personnel away from the spillage.

6.2. Environmental precautions

Environmental precautions Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Specific end use(s) Not known.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.

NESTE ATF-X

Eye/face protection	Tight-fitting safety glasses.
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Respiratory protection	No specific recommendations.
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Red.
Odour	Petroleum.
Odour threshold	-
pH	-
Melting point	< -42°C Pour point
Initial boiling point and range	-
Flash point	214°C Cleveland open cup.
Flammability (solid, gas)	-
Upper/lower flammability or explosive limits	-
Vapour pressure	-
Vapour density	-
Relative density	~ 0,857 @ 15,6°C
Solubility(ies)	Insoluble in water.
Partition coefficient	-
Auto-ignition temperature	-
Decomposition Temperature	-
Viscosity	~ 34 mm ² /s @ 40°C
Explosive properties	-
Oxidising properties	-
9.2. Other information	
Other information	Not known.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

NESTE ATF-X

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated light paraffinic

NESTE ATF-X**Acute toxicity - oral**Notes (oral LD₅₀) LD₅₀ 5000 mg/kg, Oral, Rat**Acute toxicity - dermal**Notes (dermal LD₅₀) LD₅₀ 2000 mg/kg, Dermal, Rabbit**Distillates (petroleum), hydrotreated heavy paraffinic****Acute toxicity - oral**Notes (oral LD₅₀) LD₅₀ > 15000 mg/kg, Oral, Rat**Acute toxicity - dermal**Notes (dermal LD₅₀) LD₅₀ > 5000 mg/kg, Dermal, Rabbit**1-(tert-dodecylthio)propan-2-ol****Acute toxicity - oral**Notes (oral LD₅₀) LD₅₀ > 5000 mg/kg, Oral, Rat**Acute toxicity - dermal**Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rabbit**Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich****Acute toxicity - oral**Notes (oral LD₅₀) LD₅₀ > 10000 mg/kg, Oral, Rat**Acute toxicity - dermal**Notes (dermal LD₅₀) LD₅₀ > 4000 - 8000 mg/kg, Dermal, Rabbit, Male**2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol****Acute toxicity - oral**Notes (oral LD₅₀) LD₅₀ ~ 1265 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol**Acute toxicity - oral**Notes (oral LD₅₀) LD₅₀ 1200 mg/kg, Oral, Rat, Female (OECD TG 425)

ATE oral (mg/kg) 500.0

SECTION 12: Ecological Information**12.1. Toxicity****Toxicity**

Harmful to aquatic life with long lasting effects. The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Ecological information on ingredients.**Distillates (petroleum), hydrotreated heavy paraffinic****Acute aquatic toxicity**Acute toxicity - fish LL₅₀, : > 100 mg/l,

NESTE ATF-X

Acute toxicity - aquatic invertebrates EL50, : > 10000 mg/l,

Acute toxicity - aquatic plants EL50, : > 100 mg/l,

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, : 10 mg/l,

Chronic toxicity - aquatic invertebrates NOEC, : 10 mg/l,

1-(tert-dodecylthio)propan-2-ol**Acute aquatic toxicity**

LE(C)₅₀ 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0,75 mg/l, Oncorhynchus mykiss (Rainbow trout) (OECD TG 203)

Acute toxicity - aquatic invertebrates EL50, 48 hours: 0,58 mg/l, Daphnia magna WAF

Acute toxicity - aquatic plants EL50, 96 hours: > 100 mg/l, Desmodesmus subspicatus WAF

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - aquatic invertebrates NOEL, 21 days: 0,32 mg/l, Daphnia magna (OECD TG 211)

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich**Acute aquatic toxicity**

Acute toxicity - fish , 96 hours: 4,2 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 4,6 mg/l, Daphnia magna

Acute toxicity - aquatic plants LL₅₀, 72 hours: 3,5 mg/l, Desmodesmus subspicatus WAF
LL₅₀, 72 hours: 63 mg/l, Desmodesmus subspicatus WAF

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol**Acute aquatic toxicity**

LE(C)₅₀ 0.01 < L(E)C50 ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0,3 mg/l, Brachydanio rerio (Zebra Fish) (OECD TG 203)

NESTE ATF-X

Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0,163 mg/l, Daphnia magna (OECD TG 202)
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 0,03 mg/l, Desmodosmus subspicatus (OECD TG 201)
<u>Chronic aquatic toxicity</u>	
M factor (Chronic)	1
<u>2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol</u>	
<u>Acute aquatic toxicity</u>	
LE(C)₅₀	0.01 < L(E)C50 ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	LC ₅₀ , 96 hours: 0,1 mg/l, Brachydanio rerio (Zebra Fish) (OECD TG 203)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0,043 mg/l, Daphnia magna (OECD TG 202)
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 0,0867 mg/l, Pseudokirchneriella subcapitata (OECD TG 201) NOEC, 72 hours: 0,0156 mg/l, Pseudokirchneriella subcapitata
<u>Chronic aquatic toxicity</u>	
Chronic toxicity - aquatic invertebrates	EC ₅₀ , 21 days: 0,0463 mg/l, Daphnia magna (OECD TG 211)

12.2. Persistence and degradability

Persistence and degradability No data available.

Biodegradation No data available.

Ecological information on ingredients.**1-(tert-dodecylthio)propan-2-ol**

Biodegradation 5 %, 28 d (OECD TG 301F)

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich

Biodegradation 9,6 %, 28 d

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Biodegradation 1 %, 28 d (OECD TG 301 B)

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

Biodegradation 63 %, 28 d (OECD TG 301D)

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient -

Ecological information on ingredients.

NESTE ATF-X**1-(tert-dodecylthio)propan-2-ol**

Partition coefficient log Pow: 4,7 - 6,5

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich

Partition coefficient log Pow 1,19

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Partition coefficient log Pow: 8

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

-

UN No. (ADR/RID) -

14.2. UN proper shipping name

Proper shipping name (ADR/RID) -

14.3. Transport hazard class(es)

ADR/RID class -

14.4. Packing group

ADR/RID packing group -

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

NESTE ATF-X

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE = Acute Toxicity Estimate NOEL = No Observed Effect Level WAF = Water Accommodated Fraction
Key literature references and sources for data	The manufacturer's SDS. 1.5.2018
Revision comments	Revised formulation. Revised classification. NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	22/05/2018
Supersedes date	01/09/2017
SDS number	4937
Hazard statements in full	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains 1-(tert-dodecylthio)propan-2-ol, 1,2-Propanediol, 3-amino, N,N,-dicoco alkyl derivs.. May produce an allergic reaction.