



## SAFETY DATA SHEET NESTE GEAR UTTO

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	NESTE GEAR UTTO
Product number	ID 18894
Internal identification	2135
Synonyms; trade names	Previous product name: NESTE GEAR MJ, product number 2541, ID 16091.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Transmission oil.
-----------------	-------------------

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 lubetec@neste.com
----------	---

#### 1.4. Emergency telephone number

**National emergency telephone number** +358-9-471 977, +358-9-4711, Poison Information Centre

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412

#### 2.2. Label elements

Hazard statements	H412 Harmful to aquatic life with long lasting effects. EUH208 Contains C14-C18 alpha-olefin epoxide, reaction products with boric acid, Phosphorous acid, triphenyl ester. May produce an allergic reaction.
Precautionary statements	P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## NESTE GEAR UTTO

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Benzene, propylene derivatives, sulfonated, calcium salts</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 75975-85-8	EC number: 616-278-7
<b>Classification</b>	
Eye Irrit. 2 - H319	
<b>Distillates (petroleum), solvent-dewaxed heavy paraffinic</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 64742-65-0	EC number: 265-169-7
	REACH registration number: 01-2119471299-27-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 4259-15-8	EC number: 224-235-5
	REACH registration number: 01-2119493635-27-XXXX
<b>Classification</b>	
Eye Dam. 1 - H318	
Aquatic Chronic 2 - H411	
<b>C14-C18 alpha-olefin epoxide, reaction products with boric acid</b>	<b>0,1 - &lt; 0,5 %</b>
CAS number: —	EC number: 939-580-3
<b>Classification</b>	
Skin Sens. 1 - H317	
<b>Phosphorous acid, triphenyl ester</b>	<b>0,1 - &lt; 0,25 %</b>
CAS number: 101-02-0	EC number: 202-908-4
	REACH registration number: 01-2119511213-58-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## NESTE GEAR UTTO

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
----------------------------	--

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	None known.
<b>Hazardous combustion products</b>	Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). Hydrocarbons.

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>For emergency responders</b>	Keep unnecessary and unprotected personnel away from the spillage.

#### 6.2. Environmental precautions

<b>Environmental precautions</b>	Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
----------------------------------	---

#### 6.3. Methods and material for containment and cleaning up

## NESTE GEAR UTTO

**Methods for cleaning up** Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

**Specific end use(s)** Not known.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

**Appropriate engineering controls** All handling should only take place in well-ventilated areas. Avoid the formation of mists. Provide eyewash station and safety shower.

**Eye/face protection** Tight-fitting safety glasses.

**Hand protection** Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.

**Other skin and body protection** Wear suitable protective clothing as protection against splashing or contamination.

**Respiratory protection** No specific recommendations.

**Environmental exposure controls** Store in a demarcated bunded area to prevent release to drains and/or watercourses.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Tan.
<b>Odour</b>	Petroleum.
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	< -33,00°C Pour point
<b>Initial boiling point and range</b>	> 225°C
<b>Flash point</b>	202°C Pensky-Martens closed cup.
<b>Flammability (solid, gas)</b>	-

## NESTE GEAR UTTO

<b>Upper/lower flammability or explosive limits</b>	-
<b>Vapour pressure</b>	-
<b>Vapour density</b>	-
<b>Relative density</b>	~ 0,877 @ 15,6°C
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	-
<b>Auto-ignition temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	Kinematic viscosity ~67 mm <sup>2</sup> /s @ 40°C
<b>Explosive properties</b>	-
<b>Oxidising properties</b>	-
<b>9.2. Other information</b>	
<b>Other information</b>	Not known.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** Oxidising agents.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met. Supplier's information. Bridging principle (Dilution).

#### Respiratory sensitisation

## NESTE GEAR UTTO

<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b><u>Toxicological information on ingredients.</u></b>	

### Distillates (petroleum), hydrotreated heavy paraffinic

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 15000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit

### Distillates (petroleum), solvent-dewaxed heavy paraffinic

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit

### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 3100 mg/kg, Oral, Rat (OECD 401)

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit (OECD 402)

### Phosphorous acid, triphenyl ester

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 1590 mg/kg, Oral, Rat (OECD TG 401)

## NESTE GEAR UTTO

<b>ATE oral (mg/kg)</b>	500.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> > 2000 - < 5000 mg/kg, Dermal, Rabbit (OECD TG 402)
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	LC <sub>50</sub> > 6,7 mg/l, Inhalation, (1h), Rat (OECD TG 403)

### SECTION 12: Ecological Information

#### 12.1. Toxicity

<b>Toxicity</b>	Harmful to aquatic life with long lasting effects. The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
-----------------	---

#### Ecological information on ingredients.

##### Distillates (petroleum), hydrotreated heavy paraffinic

##### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LL <sub>50</sub> , : > 100 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EL <sub>50</sub> , : > 10000 mg/l,
<b>Acute toxicity - aquatic plants</b>	EL <sub>50</sub> , : > 100 mg/l,

##### Chronic aquatic toxicity

<b>Chronic toxicity - fish early life stage</b>	NOEC, : 10 mg/l,
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, : 10 mg/l,

##### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

##### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 4,4 mg/l, Oncorhynchus mykiss (Rainbow trout) WAF (OECD TG 203)
<b>Acute toxicity - aquatic invertebrates</b>	EL <sub>50</sub> , 48 hours: 75 mg/l, Daphnia magna WAF (OECD TG 202)
<b>Acute toxicity - aquatic plants</b>	EL <sub>50</sub> , 72 hours: 410 mg/l, Desmodosmus subspicatus WAF

##### Phosphorous acid, triphenyl ester

##### Acute aquatic toxicity

<b>LE(C)<sub>50</sub></b>	0.1 < L(E)C <sub>50</sub> ≤ 1
<b>M factor (Acute)</b>	1

##### Chronic aquatic toxicity

<b>M factor (Chronic)</b>	1
---------------------------	---

#### 12.2. Persistence and degradability

## NESTE GEAR UTTO

**Persistence and degradability** No data available.

**Biodegradation** No data available.

### Ecological information on ingredients.

#### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

**Biodegradation** < 5 %, 27 d  
(OECD TG 310D)

#### Phosphorous acid, triphenyl ester

**Biodegradation** 84%, 28 d (OECD TG 301D)

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

### Ecological information on ingredients.

#### Phosphorous acid, triphenyl ester

**Partition coefficient** log Pow: 6,62 (QSAR)

### 12.4. Mobility in soil

**Mobility** No data available.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

-

**UN No. (ADR/RID)** -

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** -

### 14.3. Transport hazard class(es)

**ADR/RID class** -



## NESTE GEAR UTTO

### 14.4. Packing group

ADR/RID packing group -

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

No data available.

## SECTION 16: Other information

#### Abbreviations and acronyms used in the safety data sheet

ATE = Acute Toxicity Estimate  
DNEL = Derived No-Effect Level  
NOEL = No Observed Effect Level  
WAF = Water Accommodated Fraction

#### Key literature references and sources for data

The manufacturer's SDS. 22.12.2017

#### Revision comments

Revised formulation. Updated, sections: 3, 9, 11, 12

#### Revision date

05/04/2018

#### Supersedes date

16/11/2017

#### SDS number

5348

## NESTE GEAR UTTO

### Hazard statements in full

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains C14-C18 alpha-olefin epoxide, reaction products with boric acid, Phosphorous acid, triphenyl ester. May produce an allergic reaction.